



JIMBOB

RENTALS 2000 LTD.



OILFIELD RENTALS

FORT ST. JOHN, B.C. • 250.262.7750



JIMBOB

RENTALS 2000 LTD.

FORT ST. JOHN, B.C.

250.262.7750

ENVIRONMENTAL REFUSE BINS



Environmental Refuse Bin



Environmental Recycle Station



Environmental Refuse Bin

GARBAGE BINS / STEEL BINS



Garbage Bin



Garbage Bin



Garbage and/or Steel Bin

WELLSITE TRAILERS & COMMAND CENTRE



www.jimbobrentals.com

TRANSPORTATION**BRIDGES**

- All-Steel Low Profile
- Bridges available and in stock range from 20' to 60'
- We have winch operated and skidable bridges, which are very durable
- Two-piece, low profile bridge is split down the centre line
- Easy assembly
- No piloting is required for hauling
- The low profile, two- piece bridge allows for easy installation and very little earth or snow movement is required for installation and ramping
- Bridge is ideal for sensitive and challenging sites where creek banks and ground disturbance are key issues
- Bridge Specifications and Dimensions
- 14' 6" from outside of guardrail to outside of guardrail
- 14' running surface
- 100% steel deck with protective surface
- 1' steel guardrail
- 6" steel splash guard
- Bridge is split down the centre line, with a bolt together type of assembly
- Bridge is recommended for use with tracked equipment or highway operated vehicles

SQUARE DRIVE HYDRAULIC TORQUE WRENCH



RT - 0.5 55 to 397 ft. lb.



RT - 1 200 to 1340 ft. lb.



RT - 3 480 to 3230 ft. lb.



RTX 2 255 to 1710 ft. lb.



RTX 4 580 to 3855 ft. lb.



RTX 8 1143 to 8151 ft. lb.

Training Stand



PANTHER 55



Power		110V
Dimensions	inches	17.3 x 9.4 x 18.5
Weight	lb	48
	kg	22
Oil Capacity	gal	1.5
	L	5.67
Intercooler System		Yes
Oil Flow @ 1250psi/86 bar	cu..in. /min	391 cu. in./min. / 6.41 l/min.
Oil Flow @ 3600psi/250bar		110 cu. in./min. / 1.8 l/min.
Oil Flow @ 10,000psi/700bar		42 cu. in./min. / 0.7 l/min.

FLANGE SPREADERS



FORT ST. JOHN OFFICE

9307 - 115TH STREET

BOX 6940

FORT ST. JOHN, BC

V1J 4J3

PH. 250.262.7750

Email info@jimbobrentals.com

